	SAFETY DATA SHEET	Page : 1 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : Derbibond NT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Industrial uses
 Specific use(s) : Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

Company : Imperbel N.V./S.A
 Bergensesteenweg 32
 1651 Lot , Belgium
 Telephone: +32 2 334 87 00
 Fax: +32 2 377 01 90
 E-mail: infobe@derbigum.com
 Website: www.derbigum.com

1.4. Emergency telephone number

Emergency telephone : + 32 3 575 55 55 (24h/24h)

IRELAND (REPUBLIC OF)
 National Poisons Information Centre
 Beaumont Hospital +35 318 37 99 64

UNITED KINGDOM
 National Poisons Information Service
 (Newcastle Centre) 0870 600 6266 (UK only)
 Regional Drugs and Therapeutics Centre,
 Wolfson Unit

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EU) 1272/2008

CLP-Classification : Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Not classified

2.1.2. Classification according to EU Directives 67/548/EEC or 1999/45/EC

Classification : The product is non-dangerous in accordance with Directive 1999/45/EC.

Not classified

2.2. Label elements

2.2.1. Labelling according to Regulation (EU) 1272/2008


Not applicable.

2.2.2. Labelling according to Directives (67/548 - 1999/45)

Not relevant

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment :

	SAFETY DATA SHEET	Page : 2 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

This information is not available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Directive 67/548/EEC
Acetic acid	(CAS No.) 64-19-7 (EC No) 200-580-7 (EC Index) 607-002-00-6	0,01 - 1	R10 C; R35
Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetic acid	(CAS No.) 64-19-7 (EC No) 200-580-7 (EC Index) 607-002-00-6	0,01 - 1	Flam. Liq. 3, H226 Skin Corr. 1A, H314

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures


Inhalation	: Provide fresh air. Keep patient warm and at rest. When in doubt or if symptoms are observed, get medical advice.
Skin contact	: Take off immediately all contaminated clothing. Wash skin with mild soap and water If a person feels unwell or symptoms of skin irritation appear, consult a physician.
Eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	: Do not induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Get medical advice/attention.
Additional advice	: First aider: Pay attention to self-protection! See also section 8 . Never give anything by mouth to an unconscious person or a person with cramps. Show this safety data sheet to the doctor in attendance. Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: No information available.
Skin contact	: No information available.
Eye contact	: No information available.
Ingestion	: No information available.
Other adverse effects	: No information available.

4.3. Indication of any immediate medical attention and special treatment needed

When in doubt or if symptoms are observed, get medical advice.

	SAFETY DATA SHEET	Page : 3 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which shall not be used for safety reasons : Strong water jet .

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Specific hazards : Evacuate area.
When heated to decomposition, emits toxic fumes
Do not allow run-off from fire-fighting to enter drains or water courses. Dispose according to legislation.

5.3. Advice for firefighters

Advice for firefighters : Special protective equipment for firefighters. .
In case of fire: Wear self-contained breathing apparatus.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Use personal protective equipment as required.
See also section 8.

Evacuate area.
Avoid contact with skin and eyes.
Do not breathe vapour/spray.
Provide adequate ventilation.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

For emergency responders : Only qualified personnel equipped with suitable protective equipment may intervene.
See also section 8.

6.2. Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.
Dam up.
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal.
Dispose according to legislation.

6.4. Reference to other sections

See also section 8 .
See also section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Provide adequate ventilation.
Use personal protective equipment as required.
See also section 8 .



SAFETY DATA SHEET

Page : 4 / 11

Revision nr : 2

Issuing date : 15/01/2014

Supersedes : 08/11/2012

Derbibond NT

Avoid contact with skin, eyes and clothes.
Do not breathe vapour/spray.
Ensure that the equipment is adequately grounded.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not smoke.
After use replace the closing cap immediately.
Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH value, time).
Do not allow to enter into surface water or drains.
Take any precaution to avoid mixing with incompatible materials.

Advices on general occupational hygiene : Use only in area provided with appropriate exhaust ventilation.
Wash hands and face before breaks and immediately after handling of the product.
When using do not eat, drink or smoke.
Keep away from food, drink and animal feedingstuffs.
Keep good industrial hygiene.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed in a cool, well-ventilated place.
Ensure that the equipment is adequately grounded.

Packaging material : Keep/Store only in original container.

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :

Acetic acid (64-19-7)		
EU	IOELV TWA (mg/m ³)	25 mg/m ³
EU	IOELV TWA (ppm)	10 ppm
Austria	MAK (mg/m ³)	25 mg/m ³
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m ³)	50 mg/m ³
Austria	MAK Short time value (ppm)	20 ppm
Belgium	Limit value (mg/m ³)	25 mg/m ³
Belgium	Limit value (ppm)	10 ppm
Belgium	Short time value (mg/m ³)	38 mg/m ³
Belgium	Short time value (ppm)	15 ppm
Bulgaria	OEL TWA (mg/m ³)	25,0 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	37,0 mg/m ³
Cyprus	OEL TWA (mg/m ³)	25 mg/m ³
Cyprus	OEL TWA (ppm)	10 ppm
France	VLE (mg/m ³)	25 mg/m ³
France	VLE (ppm)	10 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	25 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	10 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	OEL TWA (mg/m ³)	25 mg/m ³



SAFETY DATA SHEET

Page : 5 / 11


Revision nr : 2

Issuing date : 15/01/2014

Supersedes : 08/11/2012

Derbibond NT

Acetic acid (64-19-7)		
Gibraltar	OEL TWA (ppm)	10 ppm
Greece	OEL TWA (mg/m ³)	25 mg/m ³
Greece	OEL TWA (ppm)	10 ppm
Greece	OEL STEL (mg/m ³)	37 mg/m ³
Greece	OEL STEL (ppm)	15 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	10 ppm
Italy - Portugal - USA ACGIH	ACGIH STEL (ppm)	15 ppm
Latvia	OEL TWA (mg/m ³)	25 mg/m ³
Latvia	OEL TWA (ppm)	10 ppm
Spain	VLA-ED (mg/m ³)	25 mg/m ³
Spain	VLA-ED (ppm)	10 ppm
Spain	VLA-EC (mg/m ³)	37 mg/m ³
Spain	VLA-EC (ppm)	15 ppm
Switzerland	VLE (mg/m ³)	50 mg/m ³
Switzerland	VLE (ppm)	20 ppm
Switzerland	VME (mg/m ³)	25 mg/m ³
Switzerland	VME (ppm)	10 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	25 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	25 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Finland	HTP-arvo (8h) (mg/m ³)	13 mg/m ³
Finland	HTP-arvo (8h) (ppm)	5 ppm
Finland	HTP-arvo (15 min)	25 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	10 ppm
Hungary	AK-érték	25 mg/m ³
Hungary	CK-érték	25 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	25 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	10 ppm
Ireland	OEL (15 min ref) (mg/m ³)	37 mg/m ³
Ireland	OEL (15 min ref) (ppm)	15 ppm
Lithuania	IPRV (mg/m ³)	25 mg/m ³
Lithuania	IPRV (ppm)	10 ppm
Malta	OEL TWA (mg/m ³)	25 mg/m ³
Malta	OEL TWA (ppm)	10 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	25 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	10 ppm
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m ³)	37,5 mg/m ³
Norway	Gjennomsnittsverdier (Korttidsverdi) (ppm)	20 ppm
Poland	NDS (mg/m ³)	15 mg/m ³
Poland	NDSch (mg/m ³)	30 mg/m ³
Romania	OEL TWA (mg/m ³)	25 mg/m ³
Romania	OEL TWA (ppm)	10 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	25 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	10 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	13 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	5 ppm

	SAFETY DATA SHEET	Page : 6 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

Acetic acid (64-19-7)		
Sweden	kortidsvärde (KTV) (mg/m ³)	25 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	10 ppm

Recommended monitoring procedures: : Concentration measurement in air
Personal monitoring


8.2. Exposure controls

- Personal protective equipment : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : No personal respiratory protective equipment normally required.
In case of insufficient ventilation, wear suitable respiratory equipment.
Respirator with a full face mask (EN136).
Respirator with a half face mask (EN140).
Recommended Filter type: A (EN141).
- Hand protection : Repeated or prolonged exposure : Protective gloves complying with EN 374. The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
- Eye protection : During splash contact: Wear eye glasses with side protection according to EN 166. .
- Body protection : Protective clothing not absolutely necessary
- Engineering control measures : Provide adequate ventilation.
Provide sufficient air exchange and/or exhaust in work rooms.
A washing facility/water for eye and skin cleaning purposes should be present.
Take precautionary measures against static discharges.
Organisational measures to prevent /limit releases, dispersion and exposure
See also section 7.
- Environmental exposure controls : Do not allow to enter into surface water or drains.
Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance : viscous liquid
- Colour : black
- Odour : characteristic
- Odour Threshold : no data available
- pH : not applicable
- Freezing point : no data available
- Boiling point/boiling range : 250 - 270 °C
- Flash point : > 200 °C
- Evaporation rate : no data available
- Relative density : 1,15
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available

	SAFETY DATA SHEET	Page : 7 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

Autoignition temperature	:	> 300 °C
Decomposition temperature	:	not applicable
Viscosity	:	12000 mm ² /s (@40°C)
Explosive properties	:	Not applicable The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidizing properties	:	not applicable The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : See also section 10.5

10.2. Chemical stability

Stability : The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : None under normal processing.

10.4. Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
See also section 7:
Handling and storage .

10.5. Incompatible materials

Incompatible materials : No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products : When heated to decomposition, emits dangerous fumes Hazardous decomposition products due to incomplete combustion. Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects


Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

Acetic acid (64-19-7)	
LD50/oral/rat	3310 mg/kg
LD50/dermal/rabbit	1060 µl/kg
LC50/inhalation/4h/rat	11,4 mg/l/4h
ATE (oral)	3310 mg/kg bodyweight
ATE (dust,mist)	11,400 mg/l/4h
Additional information	LC50, Inhalation, mouse: 5620 ppm

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: not applicable

Serious eye damage/eye irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: not applicable

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met.)

	SAFETY DATA SHEET	Page : 8 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met.)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met.)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met.)

Specific target organ toxicity (single exposure) : Not classified (Based on available data, the classification criteria are not met.)

Specific target organ toxicity (repeated exposure) : Not classified (Based on available data, the classification criteria are not met.)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met.)

Other information

Symptoms related to the physical, chemical and toxicological characteristics, see section 4.2.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Information given is based on data on the components and the ecotoxicology of similar products.

Acetic acid (64-19-7)	
LC50 fish 1	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	75 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	65 mg/l 48 h

12.2. Persistence and degradability

Persistence and degradability : No data available

12.3. Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient: n-octanol/water : no data available

12.4. Mobility in soil

Mobility : No information available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB : No information available.

12.6. Other adverse effects


Other information : No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products : Do not allow to enter into surface water or drains.
Dispose according to legislation.
Where possible recycling is preferred to disposal or incineration.
Collect and dispose of waste product at an authorised disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

	SAFETY DATA SHEET	Page : 9 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

Additional ecological information : Avoid release to the environment.
List of suggested waste codes/waste designations in accordance with the EWC: : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1. UN number

UN-No. : NA

14.2. UN proper shipping name

Proper Shipping Name : NA
Proper shipping name IATA/IMDG : NA

14.3. Transport hazard class(es)

14.3.1. Overland transport

ADR/RID : Not classified for this transport way.

14.3.2. Inland waterway transport (ADN)

ADN : Not classified for this transport way.

14.3.3. Transport by sea

IMDG : Not classified for this transport way.
Class or Division : Not applicable

14.3.4. Air transport

ICAO/IATA : Not classified for this transport way.
Class or Division : Not applicable

14.4. Packing group

Packing group : NA

14.5. Environmental hazards

Other information : Not applicable.

14.6. Special precautions for user

Special precautions for user : Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code


Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006 :

	SAFETY DATA SHEET	Page : 10 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 : Acetic acid

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. : Acetic acid

This product contains an ingredient according to the candidate list of Annex XIV of the REACH Regulation 1907/2006/EC. : none
 Authorisations : not applicable

15.1.2. National regulations

DE : WGK : No information available.
 NL : ABM : 11 - Weinig schadelijk voor in het water levende organismen (B)
 DA : Dansk PR-nr. : 2311006
 NO : Produktforskriften (FOR 2004-06-01 nr 922) : Paragraph 2-30

15.2. Chemical safety assessment

Chemical Safety Assessment : Not required

SECTION 16: Other information


Full text of R-, H- and EUH-phrases:

Flam. Liq. 3 : Flammable liquids, Category 3
 Skin Corr. 1A : Skin corrosion/irritation, Category 1A
 H226 : Flammable liquid and vapour.
 H314 : Causes severe skin burns and eye damage.
 R10 : Flammable.
 R35 : Causes severe burns.
 C : Corrosive

Key literature references and sources for data : European Chemicals Bureau (<http://esis.jrc.ec.europa.eu>)
 SDS from supplier, dated 24/08/2011

Safety datasheet sections which have been updated: : 2,11,14,15,16

Abbreviations and acronyms : ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
 ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
 IATA = International Air Transport Association
 IMDG = International Maritime Dangerous Goods Code
 LEL = Lower Explosive Limit/Lower Explosion Limit
 UEL = Upper Explosive Limit/Upper Explosive Limit
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 EC50 = Median Effective Concentration
 LC50 = Median lethal concentration
 LD50 = Median lethal dose

	SAFETY DATA SHEET	Page : 11 / 11
	Derbibond NT	Revision nr : 2
		Issuing date : 15/01/2014
		Supersedes : 08/11/2012

TLV = Threshold limits
 TWA = time weighted average
 STEL = Short term exposure limit
 NA = not applicable
 persistent, bioaccumulating and toxic (PBT).
 vPvB = very persistent and very bioaccumulating
 WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.